

# SEMI-SYNTHETICS

Easy to maintain, low foaming and excellent biological stability

## ULTRACUT 380R

**NEW**

Premium, ultra long-lasting semi-synthetic coolant with added performance package and biostability for moderate to heavy-duty use.


### CHARACTERISTICS

- Aluminum friendly
- Prevents rancidity; inhibits microbial growth
- Dependable performance; high lubricity
- No chlorine, sulfur, boron, phenols, nitrites or triazines
- Recommended for all ferrous & nonferrous metals

### BENEFITS

- Use in individual sumps and large central systems
- Ultra long-lasting; dramatically increases coolant life
- Keeps machines exceptionally clean
- Enhances workpiece quality and surface finish

| Part No.   | Size         |
|------------|--------------|
| 76005..... | 5 gal. pail  |
| 76055..... | 55 gal. drum |



## SS-405L

Quality semi-synthetic cutting fluid for moderate-duty use.

### CHARACTERISTICS

- Good corrosion protection
- Recommended for ferrous & most nonferrous metals
- Limited use on aluminum

### BENEFITS

- Improves shop cleanliness
- No gummy residue on parts or machines
- Low foaming in high-pressure/high-volume systems

| Part No.   | Size         |
|------------|--------------|
| 78405..... | 5 gal. pail  |
| 78410..... | 55 gal. drum |

## ULTRACUT 370R

Superior, chlorine free semi-synthetic coolant with biostability and performance package for moderate to heavy-duty use.

### CHARACTERISTICS

- Multipurpose; chlorine free
- Inhibits bacterial and fungal growth; rejects tramp oil
- Recommended for ferrous & most nonferrous metals
- Limited use on aluminum

### BENEFITS

- Great quenching and chip flushing
- Long sump life with less maintenance
- Ideal for high-pressure/high-volume systems; very low foaming
- Easy tramp oil skimming and cleaning

| Part No.   | Size         |
|------------|--------------|
| 74805..... | 5 gal. pail  |
| 74855..... | 55 gal. drum |

## ULTRACUT 375R

Superior, versatile semi-synthetic coolant with chlorinated extreme pressure additives and fungal control package for heavy-duty use.

### CHARACTERISTICS

- Universal fluid; reliable rancidity control
- Recommended for ferrous & most nonferrous metals
- Limited use on aluminum

### BENEFITS

- Easy care; extends operational coolant life
- Ideal for multi-material, multi-operational shops
- Cleaner machines and parts
- Great in high-pressure/high-volume systems; very low foaming

| Part No.   | Size         |
|------------|--------------|
| 74905..... | 5 gal. pail  |
| 74955..... | 55 gal. drum |

## SS-150

**NEW**

Economical semi-synthetic cutting fluid for light to moderate-duty use.

### CHARACTERISTICS

- Low-cost; low-oil
- Will not stain aluminum
- Recommended for ferrous & nonferrous metals

### BENEFITS

- Eliminates residue build-up on machines and parts
- Extremely low carryoff reduces operating costs

| Part No.   | Size         |
|------------|--------------|
| 76105..... | 5 gal. pail  |
| 76155..... | 55 gal. drum |